

MINUTES

UTAH UNIFORM BUILDING CODE COMMISSION PLUMBING CODE/HEALTH ADVISORY COMMITTEE MEETING

April 5, 2012

**Ste 400 – 9:00 am
Spectrum Engineers
324 S State Street
Salt Lake City UT**

CONVENED : 9 :00

ADJOURNED 11:00

**Bureau Manager :
Board Secretary:**

Dan S. Jones
Sharon Smalley

Board Members Present:

Ray Moore
Mark Jenkins
Jody Hilton
Michael Moss
Jeffrey Park
Kevin Bell
Nathan Lunstad
Kerry Cramer

Board Members Absent:

William Green

Guests:

DOPL Staff Present:

TOPICS FOR DISCUSSION **MINUTES**

DECISIONS AND RECOMMENDATIONS

A motion was made by Nathan Lunstad to approve the minutes from the March 8, 2012 meeting as written. The motion was seconded by Jody Hilton and passed unanimously.

Ray Moore requested that the new amendment for Section 312.5 that was approved at the last meeting be modified. Following a review of the proposal, a motion was made by Nathan Lunstad to delete the word “No” and change the word “pressurized” to “pressure tested”. The motion was seconded by Jody

REVIEW AMENDMENTS FOR
STATE CONSTRUCTION CODE
ADOPTION ACT AND STATE
CONSTRUCTION CODE

Hilton and passed unanimously.

Ray Moore passed out a proposal for Section 608.7 that would replace the current amendment. Following a review of the proposal, the words “for residential lawn sprinkler systems” and “access shall be provided to the stop-and-waste valve” were stricken. A motion was made by Ray Moore to approve the modified proposal. The motion was seconded by Kevin Bell and passed unanimously.

The committee reviewed Chapter 6 of the 2012 IPC and the current amendments for Chapter 6.

Section 608.6: During the review of this amendment, a proposal was made by Michael Moss to add wording at the end of the sentence. Following the discussion, a motion was made by Michael Moss to add the words “in accordance with Section 608.13.1” at the end. The motion was seconded by Nathan Lunstad and passed with a vote of seven in favor and Jody Hilton voting in opposition.

Section 608.11: Following the review of this current amendment, a motion was made by Nathan Lunstad to keep the amendment as written. The motion was seconded by Jody Hilton and passed unanimously.

Section 608.13.3: Following the review of this current amendment, a motion was made by Kerry Cramer to keep the current amendment as written. The motion was seconded by Mark Jenkins and passed unanimously.

Section 608.13.4: Following the review of this current amendment, a motion was made by Ray Moore to keep the current amendment as written. The motion was seconded by Jody Hilton and passed unanimously.

Section 608.13.9: Following a review and discussion of the current amendment, a motion was made by Michael Moss to keep the amendment as written. The motion was seconded by Ray Moore and passed unanimously.

Section 608.16.7: Following review of this amendment, a recommendation was made to modify it by adding the following words at the end, “Chemical dispensers shall not connect to any primary sink faucet”. A motion was made by Kevin Bell to approve the revision. The motion was seconded by Ray Moore. During the discussion on the motion, it was decided to change the wording to “Chemical dispensers shall be connected to a separate dedicated water supply separate from the sink faucet.” The motion passed unanimously.

Following further discussion it was recommended that the current amendment for 608.13.9 be changed to read “IPC, Section 608.13.9, is deleted and replaced with the following: “Backflow devices for chemical dispensers shall comply with Section 608.16.7.” A motion was made by Jody Hilton and seconded by Michael Moss to approve the recommendation. The motion passed unanimously.

Mike Moss proposed a new amendment for Section 608.13.6 and a revision for the current amendment to Section 608.15.4. The decision was tabled until the next meeting.

A motion was made by Michael Moss to recommend that the current amendment for Section 608.15.3 be kept as written. The motion was seconded by Jody Hilton and passed unanimously.

Section 608.16.2: A motion was made by Ray Moore to make a recommendation to keep the current amendment. The motion was seconded by Michael Moss. During the discussion on the motion, it was decided to modify the current amendment by changing it to say, Section 608.16.2 is deleted and replaced as follows: “The potable supply to a boiler shall be protected by an air gap or a reduced pressure principle backflow preventer, complying with ASSE 1013, CSA B64.4 or AWWA C511. Exception: The potable water supplied to a residential boiler without chemical treatment may be equipped with a backflow preventer with an intermediate atmospheric vent complying with ASSE 1012 or CSA CAN/CSA-B64.3.” The modified motion passed unanimously.

A motion was made by Michael Moss to keep the current amendment for Section 608.16.3 as written. The motion was seconded by Kerry Cramer and passed unanimously.

A motion was made by Kerry Cramer to keep the current amendment for Section 608.16.4.1 as written. The motion was seconded by Michael Moss and passed unanimously.

A motion was made by Michael Moss to keep the current amendment for Section 608.16.8 as written. The motion was seconded by Kevin Bell and passed unanimously.

A motion was made by Michael Moss to keep the current amendment for Section 608.16.11 as written. The motion was seconded by Kerry Cramer and passed unanimously.

A motion was made by Michael Moss to keep the current amendment for Section 608.17. The motion was seconded by Mark Jenkins. During the discussion on the motion, it was recommended that the amendment be modified by adding the sentence, "See Section 602.3 for requirements." The motion passed unanimously.

The next meeting will be May 3rd and will be held at Spectrum Engineers.

The meeting adjourned at 11:25.

Note: These minutes are not intended to be a verbatim transcript but are intended to record the significant features of the business conducted in this meeting. Discussed items are not necessarily shown in the chronological order they occurred.

May 3, 2012
Date Approved

s/s Ray Moore
Ray Moore
Chairperson, Uniform Building Code Commission
Plumbing/Health Advisory Committee

May 3, 2012
Date Approved

s/s Dan S. Jones
Dan S. Jones, Bureau Manager
Division of Occupational & Professional Licensing